

# INDEX MAPS.

## T. 22N, R. 7W. 2<sup>nd</sup> Mer.

Reservations 34, 35 Meanders 35

Reservations 34, 35 Meanders 35

## T. 23N, R. 7W. 2<sup>nd</sup> Mer.

	47		47		47		46		46		46	
49	6	64	5	60	4	57	3	55	2	52	1	46
	65		63		59		57		54		52	
49	7	63	8	59	9	57	10	54	11	51	12	46
	65		62		59		56		54		51	
48	18	62	17	59	16	square on 55	15	54	14	51	13	45
	64		62		59		no notes	53		51		
48	19	61	20	58	21	56	22	53	23	50	24	45
	64		61		58		56		53		50	
48	30	61	29	58	28	56	27	53	26	50	25	45
	64		60		58		55		52		49	
47	31	60	32	57	33	55	34	52	35	49	36	45
	44		44		44		43		43		43	

no notes

no notes

The figures on the lines refer to the page.

43

Township N. 23 North, Range N. 7 West S. Mer. Ind. a.

### Township Lines.

Ch. Lb. South Boundary, Var. 6° 20' E.  
West on the S. Boundary of Sec. 36

19.31 a S. Oak 27 in. dia.

35.00 enter Prairie

40.00 set q. sec. post from which

a W. Oak 40 in. dia. bears S 44 E 149 lbs. dist. 8

a Do 27 " " " S 27 W 188 " "

78.00 passed Prairie which is narrow & wet

80.00 a Hickory 12 in. dia. stands for cor. of sec. 35 & 36  
from which

a W. Oak 12 in. dia. bears N 41 W 45 lbs. dist.

(No other Bearing tree)

Oak land of a good quality.

---

West on the S. Boundary of Sec. 35

August 7, 1820

10.00 enter Prairie

40.00 set q. sec. post from which

a W. Oak 18 in. dia. bears N 60 W 374 lbs. dist. 8

a Do 12 " " " West 345 " "

43.00 passed Prairie

80.00 set post cor. of sec. 34 & 35 from which

a B. Oak 30 in. dia. bears N 42 E 30 lbs. dist. 8

a S. Oak 24 " " " S 3 W 20 " "

Oak land of a middling good quality.

---

West on the S. Boundary of Sec. 34

25.89 a Sugar 18 in. dia.

40.00 set q. sec. post from which

a W. Oak 36 in. dia. bears S 40 E 42 lbs. dist. 8

a Do 30 " " " N 33 W 43 " "

50.68 a Do 30 " "

55.00 enter Prairie

75.00 passed "

80.00 set post cor. of sec. 33 & 34 from which

T. 23 N., R. 7 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>Ch. 1<sup>st</sup>

at W. Oak 30 in. dia. bears N 62° W 40 lbs. dist. 18  
 a Do 12 " " " S 43° W 106 " "  
 Oak & Hickory land of a good quality

## West on the S. Boundary of Sec. 33

23.18 at W. Oak 18 in. dia.

24.00 enter Prairie

40.00 set gr. sec. post from which

at W. Oak 30 in. dia. bears N 38½° E 647 lbs. dist.  
 (No other Bearing tree)

47.00 passed Prairie

68.05 at B. Oak 24 in. dia.

70.00 enter Prairie

80.00 set post cor. of sec. 32 &amp; 33 from which

at B. Oak 27 in. dia. bears East 465 lbs. dist. 18

at W. Oak 12 " " " S 69½° E 341 " "

Land similar, thinly timbered.

## West on the S. Boundary of Sec. 32

30.00 passed Prairie

40.00 set gr. sec. post from which

at W. Oak 20 in. dia. bears S 80° E 22 lbs. dist. 18

a Do 18 " " " S 18° W 33 " "

80.00 set post cor. of sec. 31 &amp; 32 from which

at W. Oak 24 in. dia. bears S 12½° W. 44 lbs. dist. 18

a Do 20 " " " East 18 " "

Land similar, thinly timbered.

## West on the S. Boundary of Sec. 31

7.00 enter Prairie

28.33 at W. Oak 24 in. dia.

30.00 passed Prairie

40.00 set gr. sec. post from which

at W. Oak 30 in. dia. bears N 46° W 140 lbs. dist. 18

a S. Oak 27 " " " S 27° W 94 " "

62.00 at W. Oak 48 " "

T. 23 N., R. 7 W. 2. Mer. Ind. a

Chs. 20.

78.27 Intersect W. Boundary 218 Ws. S. of temp. post -  
 set post at intersection cn. of T. 22 & 23 N., R. 7  
 & 8 W. from which  
 a Hickory 9 in. dis. bears N 30 E 27 Ws. dist. 8  
 a S. 9 " " S 20 W 28 " "  
 Land similar.

### East Boundary.

Var. by Observation 6° 30' E. run on 6° 40' E.  
 North on the E. Boundary of Sec. 30

August 11. 1820

18.89 a B. Oak 30 in. dis.

40.00 set gr. sec. post from which

a W. Oak 24 in. dis. bears S 44 E 27 Ws. dist. 8

a Hickory 24 " " North 30 " "

45.00 enter Prairie

80.00 set post in Prairie cn. of sec. 25 & 30 from which

a W. Oak 12 in. dis. bears N 48 E 24 1/2 Ws. dist. 8

a B. Oak 36 " " N 14 E 38 3 " "

Good farming land, Prairie rich.

North on the E. Boundary of Sec. 25

40.00 set gr. sec. post in Prairie & made a mound

80.00 set post cn. of sec. 24 & 25 from which in Prairie  
 and made a mound.

Good farming land, rich Prairie

North on the E. Boundary of Sec. 24

40.00 set gr. sec. post in Prairie & made a mound.

80.00 set post cn. of sec. 13 & 24 in Prairie & made a  
 mound, from which

a B. Jack 18 in. dis. bears North 18.67 Ch. dist.

Good farming land, Prairie rich.

North on the E. Boundary of Sec. 13

18.67 a B. Jack 18 in. dis.



T. 23 N., R. 7 W., D. Mer. Ind.<sup>a</sup>

Chas. Drake

40.00 set gr. sec. post from which  
 a Hickory 12 in. diameter S 75 1/2 E 516 lbs. dirt,  
 at B. Jack 9 " " " N 87 E 456 " "  
 80.00 set post cor. of sec. 12 & 13 in Prairie & made  
 a mound. — Good farming land, Prairie rich

North on the E. Boundary of Sec. 12

40.00 set gr. sec. post in Prairie & made a mound  
 80.00 set post cor. of sec. 10 & 12 in Prairie & made a  
 mound. — Good farming land, Prairie rich

North on the E. Boundary of Sec. 1

40.00 set gr. sec. post in Prairie & in the edge of  
 a Pond hole, and made a mound  
 80.00 set temp. Town ship corner post.  
 Good farming land, Prairie rich

North Boundary. Var. 6° 05' E.

West on the S. Boundary of Sec. 36, T. 24 N., R. 7 W.

40.00 set gr. sec. post in Prairie & made a mound.  
 80.00 set post cor. of sec. 35 & 36 in Prairie and made  
 a mound. — Prairie rich & good for farming.

West on the S. Boundary of Sec. 35, T. 24 N., R. 7 W.

40.00 set gr. sec. post in Prairie & made a mound  
 80.00 set post cor. of sec. 34 & 35 in Prairie & made  
 a mound. Prairie rich & good for farming

West on the S. Boundary of Sec. 34, T. 24 N., R. 7 W.

40.00 set gr. sec. post from which  
 a Hickory 10 in. diameter S 27 E 294 lbs. dirt &  
 at W. Oak 27 " " " N 40 W 650 " "  
 80.00 set post cor. of sec. 33 & 34 from which  
 at W. Oak 27 in. diameter S 3 E 124 lbs. dirt &  
 a Hickory 24 " " " N 57 W 56 " "  
 Prairie rich & good for farming, a few

T. 23 N., R. 7 W. E. Mer. Ind.<sup>a</sup>

Ch. 1820

trees on the West  $\frac{1}{2}$  mile.

West on the S. Boundary of Sec. 33, T24 N, R7 W.  
August 10, 1820

17.00 enter wood

21.08 a W. Oak 27 in. dia.

32.00 enter Prairie

40.00 sit gr. sec. part from which

a W. Oak 30 in. dia. bears N 68  $\frac{1}{2}$  W 34  $\frac{1}{2}$  W. dist. 8

a S 27  $\frac{1}{2}$   $\frac{1}{2}$  S 88  $\frac{1}{2}$  W 454  $\frac{1}{2}$   $\frac{1}{2}$

42.00 a creek 30 Ws. wide course S.

45.00 enter woods

65.00 enter Prairie

70.00 a Brook 10 Ws. wide course S.

80.00 sit part cor. of sec. 32 & 33 from which

a W. Oak 18 in. dia. bears N 54 W 11.21 Ws. dist.

a Hickory 8  $\frac{1}{2}$   $\frac{1}{2}$  S 88 W 4.39  $\frac{1}{2}$   $\frac{1}{2}$

Prairie rich & good for farming.

West on the S. Boundary of Sec. 32, T24 N, R7 W.

40.00 sit gr. sec. part and made a mound.

80.00 sit part cor. of sec. 31 & 32 in Prairie and made  
a mound. - Prairie rich & good for farming

West on the S. Boundary of Sec. 31, T24 N, R7 W

40.00 sit gr. sec. part in Prairie & made a mound  
(Balance of this mile omitted)

West Boundary. Var. C. 45. E

North on the E. Boundary of Sec. 30, T23 N, R8 W.

August 10, 1820

23.55 a W. Oak 24 in. dia.

40.00 sit gr. sec. part from which

a W. Oak 28 in. dia. bears N 60 E 50 Ws. dist. 8

a S 30  $\frac{1}{2}$   $\frac{1}{2}$  S 73  $\frac{1}{2}$  W 110  $\frac{1}{2}$   $\frac{1}{2}$

66.13 a S 27  $\frac{1}{2}$   $\frac{1}{2}$

## T. 23 N., R. 7 W. 2. Mer. Ind.

Cm. Cr.

80.00 set part cor. of sec. 25 & 36 from which  
 a W. Oak 15 in. dia. bears N 80 E 13 W. dist. 8  
 a Do 12 " " " N 41 W 41 " "  
 Level Oak land of a middling good quality

---

North on the E. Boundary of Sec. 25, T 23 N, R 8 W  
 23.13 a W. Oak 10 in. dia.

40.00 set gr. sec. part from which  
 a W. Ash 20 in. dia. bears N 82 E 42 W. dist. 8  
 a Do 9 " " " S 5 W 35 " "

66.94 a W. Oak 30 " "

80.00 set part cor. of sec. 24 & 25 from which  
 a W. Oak 20 in. dia. bears N 79 W 17 W. dist. 8  
 a Do 36 " " " S 89 E 59 " "  
 Level Oak land of a middling good quality

---

North on the E. Boundary of Sec. 24, T 23 N, R 8 W  
 24.22 a W. Oak 30 in. dia.

40.00 set gr. sec. part from which  
 a S. Oak 30 in. dia. bears N 31 W 38 W. dist. 8  
 a Do 18 " " " S 08 E 30 " "

66.24 a W. Oak 12 " "

80.00 set part cor. of sec. 13 & 24 from which  
 a Hickory 10 in. dia. bears N 72 W 9 W. dist. 8  
 a Do 9 " " " N 70 E 17 " "  
 Land similar, rather rolling.

---

North on the E. Boundary of Sec. 13, T 23 N, R 8 W  
 25.00 enter Prairie

34.00 a Creek 50 W. wide course W

40.00 set gr. sec. part from which (part in Prairie)  
 a Willow 12 in. dia. bears South 54 W. dist.

80.00 set part cor. of sec. 12 & 13 from which  
 a W. Oak 36 in. dia. bears N 73 W 92 W. dist.  
 (No other Bearing tree)  
 Prairie & timbered land both rich.

---

Comp. 2.1

## T. 23 N., R. 7 W. 2. Mer. Ind.

Ch. 80?

North on the E. Boundary of Sec. 12, T23 N, R8 W

14.00 passed Prairie

20.91 a Hickory 9 in. dia.

40.00 at g. sec. post from which

a Hickory 9 in. dia. bears S 87° E 41 Men. dist. 3

a S 9 " " " S 36° W 36 " "

and enter Prairie

72.08 a W. Oak 24 in. dia.

80.00 at post cor. of sec. 12 &amp; 13 from which

a W. Oak 24 in. dia. bears South 79° 2 Men. dist. 8

a S 27 " " " N 19° W 10.56 Ch. "

Land of a middling quality, Prairie rich  
and good for farming.

North on the E. Boundary of Sec. 1, T23 N, R8 W

40.00 at g. sec. post in Prairie &amp; made a mound

80.00 at temp. Township corner post

Prairie rich &amp; good for farming.

August 11, 1820

William Harris  
Dep. Surveyor.

## Subdivision.

North between Sec. 35 &amp; 36

32.09 a Hickory 12 in. dia.

40.00 at g. sec. post from which

a W. Oak 18 in. dia. bears N 36° W 22 Men. dist. 8

a S 12 " " " S 3 E 52 " "

65.00 enter Prairie

80.00 at post cor. of sec. 25, 26, 35 & 36 and raised  
a mound.

Timber W, Bur, B, S. Oak &amp; Hickory

Prairie rather inclined to be wet &amp; boggy.

East on Randon between Sec. 25 &amp; 36

30.00 enter scattering timber

40.00 at temp. g. sec. post



T. 23 N., R. 7 W. 2. Mer. Ind.  
Chp. Chp.

80.26 Intersect E. Boundary 75 Ws. N. of post -  
Prairie level, inclined to be wet, timber  
scattering Walnut, W., B., Bur, G. Oak &  
Hickory

---

West Corrected between Sec. 25 & 26

40.13 Set gr. sec. post at aver. dist. from which  
a Walnut 12 in. dis. bears S 63 W 24 Ws. dist.  
(No other Bearing tree)

80.26 to Sec. cor.

---

North between Sec. 25 & 26

40.00 Set gr. sec. post & raised a mound

80.00 Set post cor. of sec. 23, 24, 25 & 26 and raised  
a mound. (Description of land omitted)

---

East on Random between Sec. 24 & 25

40.00 Set temp. gr. sec. post

80.15 Intersect E. Boundary 82 Ws. N. of post -  
Prairie level & inclined to be wet

---

West Corrected between Sec. 24 & 25

40.07 1/2 Set gr. sec. post at aver. dist. & raised mound

80.15 to Sec. cor.

---

North between Sec. 23 & 24

30.00 to timber

40.00 Set gr. sec. post from which

a Bur Oak 12 in. dis. bears S 52 E 50 Ws. dist. &

No other Bearing tree

41.00 leave timber

50.00 a Pond

80.00 Set post in Pond cor. of sec. 13, 14, 23 & 24

Prairie good with T. hate, timber Walnut,  
Elm, Hickory & Bur Oak

---



## T. 23 N., R. 7 W. 2. Mer. Ind.

Ch. 1st

East on Random between Sec. 13 &amp; 24

15.00 leave Pond &amp; enter timber

25.00 leave timber &amp; enter Prairie

40.00 set temp. q. sec. post

80.10 Intersect E. Boundary 85 Ws. N. of post -

Prairie good rich 1<sup>st</sup> rate, timber Walnut, Elm,  
Hickory & Bur Oak

West Connected between Sec. 13 &amp; 24

40.05 set q. sec. post at aver. dnt. ~~from which~~ where  
raised a mound.

80.10 to sec. cor.

North between Sec. 13 &amp; 14

15.00 leave Pond &amp; enter timber

25.00 " timber &amp; enter Prairie

40.00 set q. sec. post and raise a mound

80.00 set post cor. of sec. 11, 12, 13 & 14 and raise a  
mound. -Prairie good rich 1<sup>st</sup> rate,  
timber Walnut, Blue Ash, Elm & Hickory.  
Upr. Prickly Ash

East on Random between Sec. 12 &amp; 13

40.00 set temp. q. sec. post

80.07 Intersect E. Boundary 92 Ws. N. of post -

Prairie rather level

West Connected between Sec. 12 &amp; 13

40.03 $\frac{1}{2}$  set q. sec. post at aver. dnt. & raised mound

80.07 to sec. cor.

North between Sec. 11 &amp; 12

40.00 set q. sec. post and raised a mound

80.00 set post cor. of sec. 1, 2, 11 & 12 and raised a  
mound. - Prairie level & wet.

T. 23 N., R. 7 W. 2<sup>d</sup>. Mer. Ind<sup>a</sup>Chs. Sk<sup>a</sup>

East on Random between Sec. 1 &amp; 12

40.00 set temp. gr. sec. post

80.00 Intersect E. Boundary 85 Ws. N. of post -  
Prairie level & wet

West Corrected between Sec. 1 &amp; 12

40.00 set gr. sec. post at aver. dist. &amp; raised a mound

80.00 to sec. cor.

North between Sec. 1 &amp; 2

40.00 set gr. sec. post and raised a mound

78.64 Intersect N. Boundary 20 Ws. W. of post -  
set post at intersection cor. of Sec. 1 & 2 and  
raised a mound.Prairie good 2<sup>d</sup> rate.

North between Sec. 34 &amp; 35

10.00 a Marsh

17.00 leave Marsh

25.00 a B. Oak.

35.00 enter Prairie

40.00 set gr. sec. post from which  
a Bur Oak 12 in. diameter 444 W 304 Ws. dist.  
(No other Bearing tree)

42.00 scattering timber

45.00 enter Prairie

80.00 set post cor. of sec. 26, 27, 34 & 35 and raised  
a mound. - Prairie rich 1<sup>st</sup> rate,  
rolling & dry.

East on Random between Sec. 26 &amp; 35

40.00 set temp. gr. sec. post

45.00 to grove of timber

79.90 Intersect N. & S. line 65 Ws. N. of post -  
Prairie rich & rolling, timber Bur, W, B  
Oak & Hickory.

## T. 23 N., R. 7 W. 2. Mer. Ind.

Ch. 1st

West Connected between Sec. 26 &amp; 35

39.95 set g. sec. post at aver. dirt. & raised mound  
79.90 to sec. cor.

North between Sec. 26 &amp; 27

30.00 to timber

40.00 set g. sec. post from which

a S. Oak 15 in. diam bears S 45° W 50 p. dirt. 8

a Span. Oak 24 " " " N 38° E 24 " "

50.50 a S. Oak 20 " "

51.00 leave timber

80.00 set post cor. of sec. 22, 23, 26 &amp; 27 from which

a Bur Oak 12 in. diam bears N 2° E 40 g. p. dirt.

a B. Oak 8 " " " S 15° E 90 " "

Prairie rich but inclined to wet, timber  
Spanish, Bur, W. Oak & Hickory.

East on Random between Sec. 23 &amp; 26

40.00 set temp. g. sec. post

80.00 Intersect N &amp; S. line 50 p. N. of post -

Timber W., B. & Bur Oak, Spanish Oak,  
Hickory. Prairie wet. December 18, 1823

West Connected between Sec. 23 &amp; 26

40.00 set g. sec. post at aver. dirt. &amp; raised a mound.

80.00 to sec. cor.

North between Sec. 22 &amp; 23

40.00 set g. sec. post &amp; raised a mound

80.00 set post cor. of sec. 14, 15, 22 & 23 and raised a  
mound. - Prairie level & rich, with  
groves of timber

East on Random between Sec. 14 &amp; 23

40.00 set temp. g. sec. post

79.80 Intersect N &amp; S. line 75 p. N. of post -

T. 23 N., R. 7 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chs. 10?

Prairie level & inclined to be wet, timber  
 scattering W., B., Bur & Spanish Oak &  
 Hickory.

West Connected between Sec. 14 & 23

39.93 set g. sec. post at aver. dnt. & raised mound  
 79.80 to sec. cor.

North between Sec. 14 & 15

40.00 set g. sec. post & raised a mound

80.00 set post cor. of sec. 10, 11, 14 & 15 and raised a  
 mound. Prairie level rich, timber  
 scattering and scarce

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. post

80.00 Intersect N. & S. line 78 Ws. N. of post -

Prairie level rich, some small groves of  
 timber

West Connected between Sec. 11 & 14

40.00 set g. sec. post at aver. dnt. & raise mound  
 80.00 to sec. cor.

North between Sec. 10 & 11

40.00 set g. sec. post & raised a mound

80.00 set post cor. of sec. 2, 3, 10 & 11 where raised  
 a mound. - Prairie rich & good

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

79.80 Intersect N. & S. line 84 Ws. N. of post -

Prairie rich, good & dry.

West Connected between Sec. 2 & 11

39.90 set g. sec. post at aver. dnt. & raised a mound.

T. 23 N., R. 7 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. No.

79.80 to sec. cor.

## North between Sec. 2 &amp; 3

40.00 set of sec. post and raised a mound.

79.10 Intersect N. Boundary 45 W. of post -  
set post at intersection cor. of sec. 4 & 5 and  
raised a mound.Prairie rich & good, timber same as last  
noted. December 19. 1823

## North between Sec. 33 &amp; 34

40.00 set of sec. post from which

a W. Oak 30 in. dia. bears N 40 E 15 W. dist.

(No other Bearing tree)

45.00 have timber &amp; enter Prairie

70.00 at branch 8 W. wide course SW

80.00 set post cor. of sec. 27, 28, 33 &amp; 34 from which

a W. Oak 31 in. dia. bears N 27 W 142 W. dist.

No other Bearing tree.

Land 1 1/2 mile timber W., B., S., Bur  
Oak & Hickory - 2 1/2 mile thin scattering  
timber, in Prairie 2<sup>d</sup> rate

## East on Random between Sec. 27 &amp; 34

10.00 at branch 8 W. wide course SW

40.00 set temp. of sec. post

80.00 Intersect N &amp; S. line 70 W. N. of post -

Land 2<sup>d</sup> rate, timber scattering Oak &  
Hickory.

## West Connected between Sec. 27 &amp; 34

40.00 set of sec. post at aver. dist. from which

a W. Oak 10 in. dia. bears S 80 E 50 W. dist.

(No other Bearing tree)

80.00 to sec. cor.



T. 23 N., R. 7 W. 2. Mer. Ind.  
Ch. Sk?

North between Sec. 27 & 28

8.00 leave Prairie & enter timber

40.00 set gr. sec. post from which

a W. Oak 13 in. diam bears S 62 E 84 W. dist 8

a Dr 18 " " " N 75 W 12 " "

47.00 a Dr 10 " "

80.00 set post cor. of sec. 21, 22, 27 & 28 from which

a W. Oak 13 in. diam bears S 27 E 28 W. dist 8

a Hickory 14 " " " N 28 W 18 " "

Land 1  $\frac{1}{2}$  mile 2<sup>nd</sup> to timbered land,

W., B., S. & Bur Oak, Hickory, Elm, Walnut,  
Sugar, Ash

East on Random between Sec. 22 & 27

40.00 set temp. gr. sec. post

79.95 Intersect N & S line 80 W. N. of post -

Land 2<sup>nd</sup> to, timber Oak & Hickory

West Corrected between Sec. 22 & 27

39.97 $\frac{1}{2}$  set gr. sec. post at aver. dist from which

a W. Oak 14 in. diam bears S 15 E 45 W. dist 8

a Hickory 10 " " " N 18 W 68 " "

79.95 to sec. cor.

North between Sec. 21 & 22

4.00 a W. Oak 20 in. diam.

40.00 set gr. sec. post from which

a S. Oak 9 in. diam bears N 50 E 50 W. dist.

No other bearing tree.

55.00 leave timber & enter Prairie

80.00 set post cor. of sec. 15, 16, 21 & 22 and raised

a mound. First  $\frac{1}{2}$  mile land level &

low, timber Bur, B., W., S. Oak & Hickory

& Ash. Prairie level sweet

East on Random between Sec. 10 & 15

## T. 23 N., R. 7 W. 2. Mer. Ind.

Ch. 1st

40.00 set temp. gr. sec. post

80.20 Intersect N & S. line 100 Ws. N. of post -  
(Description of land &c. omitted)

West Corrected between Sec. 10 &amp; 15

40.10 set gr. sec. post at aver. dist. & raise a mound.  
80.00 to sec. cor.

North between Sec. 9 &amp; 10

40.00 set gr. sec. post and raised a mound

80.00 set post cor. of sec. 3, 4, 9 & 10 and raised a  
mound. - Prairie rolling, rich & good

East in Random between Sec. 3 &amp; 10

40.00 set temp. gr. sec. post

80.20 Intersect N & S. line 120 Ws. N. of post -  
(Description of land &c. omitted)

West Corrected between Sec. 3 &amp; 10

40.10 set gr. sec. post at aver. dist. & raised mound  
80.20 to sec. cor. December 20, 1823

North between Sec. 3 &amp; 4

40.00 set gr. sec. post and raised a mound.

75.00 enter scattering timber

79.20 Intersect N. Boundary at post from which  
an Oak 16 in. diam bears N 30° W 150 Ws. dist.  
(No other Bearing tree)Prairie level & rich, but inclined to be  
wet.)

North between Sec. 32 &amp; 33

40.00 set gr. sec. post from which

a S. Oak 26 in. diam bears S 22° E 19 Ws. dist. &amp;

a Bull Oak 30 " " " N 40° W 21 " "

70.00 leave timber &amp; enter Prairie

T. 23 N., R. 7 W. 2. Mer. Ind.  
Ch. 1. Sh.

79.00 at Branch 5 Ws. wide course W  
80.00 set post cor. of sec. 28, 29, 32 & 33 from  
whisk at Bull Oak 30 in. diameter N 30° 30' W. d.  
No other Bearing tree.  
Land 2<sup>d</sup> rate Prairie, timber scattering Oak

---

East on Random between Sec. 28 & 33  
40.00 set temp. gr. sec. post  
80.30 Intersect N & S. line 80 Ws. N. of post -  
Land 2<sup>d</sup> rate Prairie, timber scattering  
Oak & Hickory

---

West Corrected between Sec. 28 & 33  
40.15 set gr. sec. post at aver. dist.  
(Mound or Bearings not mentioned)  
80.30 to sec. cor.

---

North between Sec. 28 & 29  
40.00 set gr. sec. post and raised a mound.  
80.00 set post cor. of sec. 20, 21, 28 & 29 and raised  
a mound. - Prairie 2<sup>d</sup> rate, timber  
scattering Oak & Hickory

---

East on Random between Sec. 21 & 28  
5.00 enter timber  
40.00 set temp. gr. sec. post  
80.20 Intersect N & S. Boundary 117 Ws. N. of  
post - Prairie 2<sup>d</sup> rate, timber scattering  
Oak & Hickory

---

West Corrected between Sec. 21 & 28  
40.10 set gr. sec. post at aver. dist.  
(Mound or Bearings not mentioned)  
80.20 to sec. cor.

---

North between Sec. 20 & 21

T. 23 N., R. 7 W. T. Mer. Ind.<sup>a</sup>~~Ch. 8th~~

40.00 set g. sec. post &amp; raised a mound.

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 and raised a mound. — Prairie rich &amp; good, with some scattering groves of timber

East on Raudum between Sec. 16 &amp; 21

40.00 set temp. g. sec. post

80.30 Intersect N. &amp; S. line T. 23 N. of post —

Prairie rich &amp; good, with some scattering groves of timber

West Connected between Sec. 16 &amp; 21

40.15 set g. sec. post at aver. dist. &amp; raised mound

80.30 to sec. cor.

North between Sec. 16 &amp; 17

40.00 set g. sec. post and raised a mound

80.00 set post cor. of sec. 8, 9, 16 &amp; 17 and raised a mound. — Prairie good T. rate

East on Raudum between Sec. 9 &amp; 16

40.00 set temp. g. sec. post

80.20 Intersect N. & S. line T. 23 N. of post —  
Prairie good T. rate.

West Connected between Sec. 9 &amp; 16

40.10 set g. sec. post at aver. dist. &amp; raised mound.

80.20 to sec. cor.

North between Sec. 8 &amp; 9

40.00 set g. sec. post and raised a mound

80.00 set post cor. of sec. 4, 5, 8 & 9 and raised a mound. — Prairie good rich 2<sup>d</sup> rate,  
December 21<sup>st</sup> 1823

East on Raudum between Sec. 4 &amp; 9



T. 23 N., R. 7 W. 2<sup>d</sup> Mer. Ind.  
Ch. 8th?

40.00 set temp. g. sec. post

80.30 Intersect N. S. line 120 W. N. of post -  
Prairie good rich 2<sup>d</sup> rate

West Connected between Sec. 4 & 9

40.15 set g. sec. post at aver. dist. and raised  
around.

80.30 to sec. cor. December 21. 1823

North between Sec. 4 & 5

5.00 to timber

35.00 a B. Oak 15 in. dia.

40.00 set g. sec. post from which

a W. Oak 18 in. dia. bears S 27<sup>4</sup> W 30 W. dist. 8

a Do 20 " " " N 40 E 100 " "

45.00 a Stream 40 W. wide corner NW

78.00 Intersect N. Boundary 21 W. E. of post -  
set post at intersection cor. of sec. 4 & 5 and  
raised a mound.

Prairie good 2<sup>d</sup> rate, timber W., B., Burr &  
Spanish Oak, Hickory, Walnut & Sugar

North between Sec. 31 & 32

12.30 a W. Oak 12 in. dia.

40.00 set g. sec. post from which

a W. Oak 12 in. dia. bears N 8<sup>4</sup> W 18 W. dist. 8

a Do 12 " " " East 20 " "

41.00 a B. Oak 24 " "

80.00 set post cor. of sec. 29, 30, 31 & 32 from which

a B. Oak 36 in. dia. bears S 45<sup>4</sup> W 37 W. dist. 8

a B. Oak 24 " " " N 35 E 50 " "

Land 2<sup>d</sup> rate, timber W., B., Span., Burr  
Oak, Hickory, Ash, Elm & Sugar

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post



T. 23 N., R. 7 W. 2. Mer. Ind.<sup>4</sup>  
Ch. 2<sup>nd</sup>

80.08 Intersect N. & S. line 120 W. N. of post -  
Land 2<sup>nd</sup> rate, timber Oak, Ash, Hickory, Elm  
Walnut & some Sugar

---

West Corrected between Sec. 29 & 32

40.04 set g. sec. post at aver. dist. from which  
a W. Oak 25 in. dia. bears S 30 E 49 W. dist.  
No other Bearing trees.

80.08 to sec. cor.

---

North between Sec. 29 & 30

25.00 a B. Oak 12 in. dia.

40.00 set g. sec. post from which  
an Elm 12 in. dia. bears East 12 W. dist. S  
a B. Oak 30 " " " S 85 W 30 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
a Hickory 12 in. dia. bears S 40 W 41 W. dist. S  
a B. Oak 30 " " " S 43 E 50 " "  
Land good 2<sup>nd</sup> rate, timber Sugar, Elm, Walnut  
Hickory, W., B. & S. Oak

---

East on Pradum between Sec. 20 & 29

35.00 to Prairie

38.00 to Pond

40.00 set temp. g. sec. post in Pond

41.50 leave Pond

80.14 Intersect N. & S. line 100 W. N. of post -  
Land 2<sup>nd</sup> rate, timber Sugar, Elm, Walnut,  
W., B., Bur & S. Oak & Hickory

---

West Corrected between Sec. 20 & 29

40.07 set g. sec. post at aver. dist. in Pond

80.14 to sec. cor.

---

North between Sec. 19 & 20

15.00 a Hickory 13 in. dia.

T. 23 N., R. 7 W. 2. Mer. Ind.<sup>a</sup>

Chr. Ste.

40.00 set of sec. post from which  
 a Bur Oak 27 in. diameter N 85° E 23 1/2 W. dist. 3  
 a Do 12 " " " S 15° W 59 " "  
 51.00 a W. Oak 18 " "  
 55.40 leave timber to enter Prairie  
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which  
 a W. Oak 30 in. diameter N 31° W 34° E dist.  
 a Do 24 " " " S 85° E 26° 9 " "  
 Land good 2 rate, timber Ash, Walnut,  
 Elm, Hickory, Oak of all kinds.  
 December 29. 1823

East on Random between Sec. 17 &amp; 20

40.00 set temp. of sec. post

80.35 intersect N. S. line 132 W. N. of post -

Land good 2 rate, timber Walnut, Sugar,  
 Ash, Elm & Oak of all kinds

West Connected between Sec. 17 &amp; 20

40.17 1/2 set of sec. post at aver. dist. from which

a B. Walnut 24 in. diameter S 61° E 30 1/2 W. dist.

No other Bearing tree near.

80.35 to sec. cor.

North between Sec. 17 &amp; 18

24.00 leave timber to Prairie

40.00 set of sec. post from which

a W. Oak 15 in. diameter S 10° E 32 1/2 W. dist.

No other Bearing tree

80.00 set post cor. of sec. 17, 18, 19 &amp; 18 from which

a W. Oak 18 in. diameter S 44° E 14 1/2 W. dist.

a Do 17 " " " N 85° W 30° " "

Land good 2 rate, timber Walnut, Sugar,  
 Ash, Elm & Oak

East on Random between Sec. 18 &amp; 17

T. 23 N., R. 7 W. 2 E. Mer. Ind.  
Ch. Lk.

40.00 set temp. q. sec. post

46.00 leave timber

80.37 Intersect N & S. line 125 lks. N. of post -

Land 2<sup>d</sup> rate, timber Walnut, Ash, Elm, Hickory  
& all kinds of Oak

---

West Connected between Secs. 8 & 17

40.18 1/2 set q. sec. post at aver. dist. from which  
a Hickory 13 in. dia. bears S 83 E 108 lks. dist.  
No other Bearing tree

80.37 to sec. cor.

---

North between Secs. 7 & 8

20.00 a W. Oak 10 in. dia.

40.00 set q. sec. post from which

a W. Oak 18 in. dia. bears N 70 W 8 lks. dist. S,

a Do 20 " " " S 75 E 23 " "

51.00 to Pine Creek 50 lks. wide course W.

51.50 to Prairie wet, water sulphury or of Iron cast

80.00 set post cor. of secs. 5, 6, 7 & 8 and raise mound.  
Land T. 1/2 mile good 2<sup>d</sup> rate - 2 1/2 mile wet &  
low Prairie, timber Walnut, Elm, Ash, Hick-  
ory, Sugar & Oak

---

East on Raudon between Secs. 5 & 8

40.00 set temp. q. sec. post

45.50 to Pine Creek 50 lks. wide course S W.

80.30 Intersect N & S. line 130 lks. N. of post -

Land good 2<sup>d</sup> rate, timber scattering groves  
of Oak, Hickory, Elm, Walnut, Ash & Sugar

---

West Connected between Secs. 5 & 8

40.15 set q. sec. post at aver. dist. from which  
a W. Oak 30 in. dia. bears S 25 E 23 lks. dist.

No other Bearing tree near

80.30 to sec. cor.

---

## T. 23 N., R. 7 W. T. Mer. Ind.

Ch. Sk.

North between Secs. 5 &amp; 6

40.00 set gr. sec. post and raised a mound

78.40 Intersect N. Boundary 27 W. of post -  
 set post at intersection cor. of sec. 5 & 6 and raised  
 a mound. - Wet 3<sup>d</sup> rate Prairie  
 December 23. 1823

West between Secs. 30 &amp; 31

30.00 a B. Oak 12 in. dia.

40.00 set gr. sec. post from which  
 a B. Oak 40 in. dia. bears S 20° W 30 W. dist. 8  
 a Do 13 " " " N 81° E 61 " "

41.00 a Brook 5 W. wide course SW

79.72 Intersect W. Boundary 82 W. S. of post -  
 set post at intersection cor. of sec. 30 & 31 from  
 which a W. Oak 40 in. dia. bears N 40° E 48 W. dist.  
 & a Do 12 " " " S 80° E 50 " "  
 Land good 2<sup>d</sup> rate, timber W., B., Pear, Span. Oak,  
 Sugar, Hickory, Walnut, Ash, Elm, Lynn

West between Secs. 19 &amp; 30

40.00 set gr. sec. post from which  
 a W. Oak 14 in. dia. bears S 12° E 17 W. dist. 8  
 an Elm 8 " " " N 87° W 29 " "

60.00 a Lynn 13 " "

79.66 Intersect W. Boundary 75 W. S. of post -  
 set post at intersection cor. of sec. 19 & 30 from  
 which a W. Oak 15 in. dia. bears N 53° E 83 W. dist. 8  
 a Do 36 " " " S 58° W 50 " "  
 Land 2<sup>d</sup> rate, timber W., B., Span. & Pear Oak,  
 Hickory, Ash, Elm, Lynn, Walnut, Sugar

West between Secs. 18 &amp; 19

15.00 a B. Oak 26 in. dia.

38.00 a Brook 4 W. wide course NW

40.00 set gr. sec. post from which



T. 23 N., R. 7 W. 2<sup>d</sup>. Mer. Ind.  
Ch. 1<sup>st</sup> 1<sup>st</sup>.

at N. Oak 32 in. dis. bears S 27° E 31 1/2 hrs. dist. 8

a Dr 12 " " " N 30° W 76 " "

42.00 a Dr 36 " "

79.54 Intersect W. Boundary 93 1/2 hrs. S. of port -

set port at intersection cr. of sec. 18 & 19 from which

at N. Oak 18 in. dis. bears S 88° E 35 1/2 hrs. dist. 8

a Hickory 10 " " " N 80° E 91 " "

Land 2<sup>d</sup> rate, timber Oak, Lym, Sugar, Walnut,  
Ash, Elm & Hickory.

West between Sec. 7 & 18

40.00 set of sec. port from which

at N. Oak 14 in. dis. bears S 55° E 26 1/2 hrs. dist. 8

at N. Oak 16 " " " N 5° W 5 " "

78.58 to Pine Creek 6 1/2 hrs. wide course S W

79.00 Intersect W. Boundary 78 1/2 hrs. S. of port -

set port at intersection cr. of sec. 7 & 18 from which

at N. Oak 17 in. dis. bears S 78° E 228 1/2 hrs. dist.

(No other bearing tree)

Land 2<sup>d</sup> rate, timber Oak, Walnut, Sugar,  
Lym, Ash, Elm & Hickory.

West between Sec. 6 & 7

40.00 set of sec. port and raised a mound

50.00 to high rolling Prairie

05.00 leave Prairie

79.04 Intersect W. Boundary 120 1/2 hrs. S. of port -

set port at intersection cr. of sec. 6 & 7 from

which at N. Oak 13 in. dis. bears S 2° E 57 1/2 hrs. dist. 8

no other bearing tree

Land 1<sup>st</sup> 1/2 mile low, 2<sup>nd</sup> 1/2 mile high rolling  
rich 1<sup>st</sup> rate. December 25. 1823

John W. Vance

Dep. Surveyor.



I certify that the foregoing transcript  
of Field Notes of the survey of Township N.<sup>o</sup>  
24 North, in Range N.<sup>o</sup> 7 West of the 2.<sup>d</sup>  
Principal Meridian, in the State of Indiana,  
has been compared with the original on  
file in this office and found to be correct.  
Surveyor General's Office  
Cincinnati, Aug. 8. 1844

William Houston  
Sur. Genl.